

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4956	(allocat\$4 with memory with buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:33
S2	460	allocat\$4 adj memory near2 buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:34
S3	106	S2 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:35
S4	1	"20040107322"	US-PGPUB; USPAT	OR	OFF	2005/12/19 08:28
S5	7384	(allocat\$4 with (memory or storage) with (buffer or register or cache or storage)) same (module or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:30
S6	1505	S5 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:30
S8	195	S7 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:31
S7	834	((allocat\$4 with (memory or storage) with (buffer or register or cache or storage)) same (module or process)) and (DMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:37
S9	468	((allocat\$4 with (memory or storage) with (shared))) and (DMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:37

S10	135	S9 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:45
S11	1742	(allocat\$4 with buffer with (process or module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:45
S12	275	S11 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:45
S13	267	S12 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:45
S14	238	S13 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:54
S16	267	S15 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:56
S17	19	S15 and 711/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:56
S15	1117	((allocat\$4 near2 memory) with (buffer or cache or register)) and (DMA and process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:57

S19	60	S18 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:59
S20	13	S19 and DMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:59
S18	327	(allocat\$4 near2 memory) with (buffer with (process or module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:02
S21	1785	(allocate with memory) with (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:03
S22	1399	S21 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:03
S23	69	S21 and (711/147.ccls. or 711/170. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:12
S24	451	((processor or CPU) with allocat\$4 with memory with (shared))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:13
S25	32	S24 and (711/147.ccls. or 711/170. ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:15

S26	0	(allocat\$4 with memory with ("from" with shared))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:16
S27	0	(allocat\$4 with memory with (from with shared))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:16
S28	13562	allocate with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:48
S30	600	S29 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:59
S31	210	S29 and (711/147.ccls. or 711/170.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:01
S32	30	S31 and DMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:01
S29	1921	((request or requested or requesting or requirements) with memory) with (allocate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:03
S33	711	((request or requested or requesting or requirements) with buffer) with (allocate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:03

S34	37	S33 and (711/147.ccls. or 711/170.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:27
S35	969	((allocate with memory) same buffer) same (processor or CPU or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:29
S36	2879	711/170.ccls. 711/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:29
S37	43	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:46
S39	46	S38 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:47
S38	540	(buffer with allocat\$4) and (PDA or player or (USB with device)) and DMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:06
S40	109	((buffer with allocat\$4) same (PDA or player or (USB with device) or peripheral)) and DMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:09
S41	369	dynamic with buffer with allocation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:12

S42	176	(dynamic with buffer with allocation) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:34
S43	262	(dynamic with buffer with allocat\$4) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:34
S44	86	S43 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:20
S45	53	malloc with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:21
S46	216	(peripheral adj device) same (memory and buffer and allocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:22
S47	79	((peripheral adj device) same (memory and buffer and allocat\$4)) and DMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:22
S49	52	S48 and DMA and ((mode) and (switch or change))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06
S50	25	S49 and re	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06

S48	318	(buffer with allocat\$4) and 710/52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:08
S51	467	(buffer with allocat\$4) and 710/52-57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:08
S52	33	S51 and (DMA and re and (mode and (switch or change)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:12
S54	2537	710/52-57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:12
S55	199	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:12
S56	65	S55 and (re)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:12
S57	51	S56 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:12
S53	4988	(allocate with buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:15

S58	430	(allocate with buffer) and (USB or (universal adj serial adj bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:15
S59	1021	(allocat\$4 with buffer) and (USB or (universal adj serial adj bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:16
S60	34	S59 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:16
S61	29	S60 not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:20
S62	264	(allocat\$4 same buffer) and (USB or (universal adj serial adj bus)) and (re) and (DMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:21
S63	10	S62 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:23
S64	14810	(buffer with allocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:23
S65	73	S64 same (USB or (universal adj serial adj bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:24



S66	26	S65 and DMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:24
S67	2537	710/52-57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:37
S69	243	S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:38
S70	9	"5659670"	USPAT	OR	OFF	2005/12/21 10:09
S68	6075	(buffer same allocat\$4) and (peripheral or (usb) or (universal adj serial adj bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:50
S71	1126	(multiple with function with integrated with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:51
S72	65	S71 same (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:56
S73	2	"6580288"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:58
S74	52	(interface same (USB or (universal adj serial adj bus)) same buffer same allocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 12:04

S75	12	711/147.ccls. and 710/52-57.ccls. and 711/170-173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 12:09
S76	1451	(allocat\$4 with buffer) and "710". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 12:10
S77	97	S76 and dma and usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 12:10
S78	11	("5974486"   "6185641"   "6205501"   "6218969"   "6230226"   "6370603"   "6567875"   "6675733"   "6718423"   "6721332"   "6725302").PN. OR ("6862643"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/21 14:06
S79	977	((multimedia or (mm)) with peripheral with device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 14:07
S80	3	S79 same (allocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 14:08
S81	90	S79 and (allocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 15:19
L2	11	"5793957"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 15:29

L3	2	"6530838"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 15:29
L1	10	mulligan-d.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 15:30
L4	914	mulligan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 15:30